

RECEIVED
CENTRAL FAX CENTER

AUG 15 2006

Amendments to the claims:

1. (currently amended) A ~~face-balanced~~ golf putter comprising:
- a club head body having a toe region, a heel region, a sole, and a top surface opposite said sole;
- said top surface having a concave profile with a first radius of curvature, said sole having a convex profile with a second radius of curvature, said first radius of curvature being greater than said second radius of curvature;
- ~~a hosel connected to said club head body;~~
- ~~a shaft received in said hosel~~ connected to said club head body, said shaft having a longitudinal axis which ~~intersects the center of gravity of said club head body~~ lies at an acute angle with respect to a horizontal reference;
- said club head body having a toe thickness defined by a distance between said top surface and said sole in said toe region, said club head body also having a heel thickness defined by a distance between said top surface and said sole in said heel region, said toe thickness being greater than said heel thickness; and
- ~~said heel region having a cutout formed therein rearward of said face between said top surface and said sole, said toe region having another cutout formed therein rearward of said face between said top surface and said sole, said cutout in said toe region having a greater volume than said another cutout in said heel region.~~
- said club head body being movable relative to said horizontal reference between a first position where said heel region is closer to said horizontal reference than said toe region and a second position where said toe region is closer to said horizontal reference than said heel region.

an upper corner of the heel region being at a lower elevation from the horizontal reference than an upper corner of the toe region when said club head body is in said first position, and said upper corners of the heel and toe regions being at the same elevation from the horizontal reference when said club head body is in said second position so that a straight line connecting said upper corners of the heel and toe regions is generally parallel to said horizontal reference thereby making said top surface of said club head body appear to be level.

2. (currently amended) The golf putter of claim 1, wherein said ~~heel is located~~ shaft is connected to said club head body substantially midway between said toe region and said heel region.

3. (canceled)

4. (canceled)

5. (currently amended) The golf putter of claim 1, wherein said toe thickness is equal to said heel thickness multiplied by a toe-up factor, wherein said toe-up factor is between approximately 1.20 and 1.40.

6. (canceled)

7. (currently amended) The golf putter of claim 1, wherein said heel region has a cutout formed therein rearward of said face between said top surface and said sole, said toe region has another cutout formed therein rearward of said face between said top surface and said sole, said cutout in said toe region has a greater volume than said another cutout in said heel region, said cut-out in said toe region has a first depth and said cut-out in said heel region has a second depth, and wherein said first depth is greater than said second depth.

8. (canceled)

9. (canceled)

10. (canceled)

11. (canceled)

12. (canceled)

13. (canceled)

14. (canceled)

15. (canceled)

16. (new) The golf putter of claim 1, wherein said acute angle is approximately 75 degrees.